



**110-12H**  
**110-24H**





# SECOND BY SECOND

5 DIGIT 12 OR 24 HOUR READOUT

## DIGITAL CLOCK

FRONT PANEL MOUNT . . . DESK OR BENCH USE

*DIGITS RESETTABLE INDIVIDUALLY*



### FEATURES:

AVAILABLE IN:  
120 VAC, 50 OR 60 CPS  
240 VAC, 50 OR 60 CPS  
115 VAC, 400 CPS

PAT. NO. 2587277  
OTHER PATS. PENDING

**TYMETER  
ELECTRONICS-  
PENNWOOD  
NUMECHRON CO.**

**7249 FRANKSTOWN AVE.**

**PITTSBURGH 8, PA.**



- SPLIT SECOND TIMING. SECOND BY SECOND 00-59 KINETIC GRADIENT READOUT
- TIME IS REGISTERED ON 5 POLYGONAL DRUMS . . ONE HOUR DRUM, ONE 10 MINUTE DRUM, ONE MINUTE DRUM, TWO SECONDS DRUMS
- LARGE  $\frac{5}{16}$ " EASY TO READ DIGITS, 12 HOUR CLOCK
- $\frac{5}{16}$ " EASY TO READ DIGITS, 24 HOUR CLOCK
- DIGITS ARE BLACK ON WHITE BACKGROUND
- FULL VISION IN LINE READOUT DIGITAL DISPLAY
- INDEPENDENT FRONT PANEL TIME RESET CONTROLS RESET DIGITS INDIVIDUALLY
- ILLUMINATION CONTROLLED BY INDEPENDENT CONTROL SWITCH
- JEWEL LIGHT PANEL INDICATOR
- MOVEMENT SHOCK RESISTANT TO WITHSTAND SHOCK OF 2000 LBS. PER INCH.
- COMPLETELY ENCLOSED IN ANODIZED METAL DUSTPROOF CASE
- HEIGHT  $4\frac{1}{2}$ ", WIDTH 12", DEPTH  $3\frac{1}{2}$ ". WEIGHT 6 LBS.
- FRONT PANEL MOUNT . . DESK OR BENCH USE
- TYMETERS ARE POWERED BY A RUGGED, COMPLETELY ENCLOSED SYNCHRONOUS MOTOR WITH A ROTOR SPEED OF 450 RPM.
- UL APPROVED MOTOR AND CORD. GUARANTEED ONE YEAR.




**115-30M**  
**115-60M**  
**115-12H**  
**115-24H**

# SECOND BY SECOND ELAPSED TIME READOUT DIGITAL COMPUTER

AVAILABILITY: 30 MINUTE 60 MINUTE  
12 HOUR 24 HOUR



**FRONT VIEW**



**SIDE VIEW**

**SECOND BY SECOND  
GRADIENT READOUT**

## FEATURES: STOP AND HOLD CONTROL

- SPLIT SECOND TIMING. SECOND BY SECOND 00-59 KINETIC GRADIENT READOUT
- AUTOMATICALLY COMPUTES AND REGISTERS ELAPSED TIME AND REPEATS.
- TIME IS REGISTERED ON POLYGONAL DRUMS.
- LARGE  $\frac{5}{16}$ " EASY TO READ DIGITS, 12 HOUR CLOCK
- $\frac{5}{16}$ " EASY TO READ DIGITS, 24 HOUR CLOCK
- DIGITS ARE BLACK ON WHITE BACKGROUND
- FULL VISION IN LINE READOUT DIGITAL DISPLAY
- INDEPENDENT FRONT PANEL TIME RESET CONTROLS RESET DIGITS INDIVIDUALLY
- ILLUMINATION CONTROLLED BY INDEPENDENT CONTROL SWITCH
- JEWEL LIGHT PANEL INDICATOR
- MOVEMENT SHOCK RESISTANT TO WITHSTAND SHOCK OF 2000 LBS. PER INCH.
- COMPLETELY ENCLOSED IN ANODIZED METAL DUSTPROOF CASE
- HEIGHT 4 $\frac{1}{2}$ ", WIDTH 12", DEPTH 3 $\frac{1}{2}$ ". WEIGHT 6 LBS.
- FRONT PANEL MOUNT . . . DESK OR BENCH USE
- TYMETERS ARE POWERED BY A RUGGED, COMPLETELY ENCLOSED SYNCHRONOUS MOTOR WITH A ROTOR SPEED OF 450 RPM.
- UL APPROVED MOTOR AND CORD. GUARANTEED ONE YEAR.

AVAILABLE IN:  
120 VAC, 50 OR 60 CPS  
240 VAC, 50 OR 60 CPS  
115 VAC, 400 CPS

PAT. NO. 2587277  
OTHER PATS. PENDING

**TYMETER  
ELECTRONICS-  
PENNWOOD  
NUMECHRON CO.**

**7249 FRANKSTOWN AVE.**

**PITTSBURGH 8, PA.**

# ELAPSED TIME COUNTER & DIGITAL CLOCK



**150-12H**

**151-24H**



## DESCRIPTION:

TYMETER ELAPSED TIME COUNTER PROVIDES AN ACCURATE DEPENDABLE MEANS FOR MEASURING OPERATING TIME ACCUMULATION ON MACHINE TOOLS, COMMUNICATION EQUIPMENT AND A WIDE RANGE OF OTHER COMMERCIAL AND INDUSTRIAL EQUIPMENT.

TYMETER DIGITAL READ OUT CLOCK IS A PRECISION INSTRUMENT DESIGNED TO PROVIDE SPLIT SECOND ACCURACY. TIME IS INDICATED BY LARGE EASILY READ DIGITS ON THE FACE OF THE DRUMS, REGISTERING IN MINUTES, 10 MINUTES AND HOUR. THE DIGITS ARE BLACK ON WHITE BACKGROUND. GUARANTEED 1 YEAR. ACCURACY 0.1%

## For Operation At:

120 VAC, 50 OR 60 CPS.  
240 VAC, 50 OR 60 CPS.  
115 VAC, 400 CPS.



PAT. NO. 2587277  
OTHER PATS. PENDING

**12 and 24 HOUR READ OUT**  
FRONT PANEL MOUNT . . . DESK OR BENCH USE



## FEATURES:

### TYMETER ELAPSED TIME COUNTER

- TIME REGISTERED: AVAILABLE IN 4 MODELS REGISTERING AS FOLLOWS:
  1. HOURS, TO A TOTAL OF 99,999 HOURS.
  2. HOURS, AND TENTHS OF HOURS, TO A TOTAL OF 9,999.9 HOURS.
  3. MINUTES, TO A TOTAL OF 99,999 MINUTES.
  4. MINUTES AND TENTHS OF MINUTES, TO A TOTAL OF 9,999.9 MINUTES.
- STOP AND HOLD CONTROL
  - RESETTABLE
  - COUNTER AND MOTOR ENCLOSED.
  - INDEPENDENT TIME COUNTER CONTROL SWITCH.
  - JEWEL LIGHT PANEL INDICATOR.

### TYMETER DIGITAL CLOCK

- LARGE  $\frac{3}{8}$ " EASY TO READ DIGITS, 12 HOUR CLOCK.
- $\frac{5}{16}$ " EASY TO READ DIGITS, 24 HOUR CLOCK.
- ROTATING VISUAL 1 RPM CALIBRATED SECONDS WHEEL.
- DIGITS RESETTABLE INDIVIDUALLY.
- FULL VISION IN LINE READ OUT DIGITAL DISPLAY.
- INDEPENDENT FRONT PANEL TIME RESET CONTROLS.
- SYNCHRO-SYNCHRONIZATION SECONDS WHEEL CONTROL SWITCH.
- MOVEMENT SHOCK-RESISTANT TO WITHSTAND SHOCK OF 2000 POUNDS PER INCH.
- MOVEMENT COMPLETELY ENCLOSED ANODIZED ALUMINUM DUST-PROOF CASE.
- HEIGHT  $7\frac{1}{2}$ ", WIDTH 6", DEPTH  $3\frac{1}{4}$ ", WEIGHT 5 LBS.
- PRECISION INSTRUMENT ACCURACY. UL APPROVED MOTOR & CORD.
- TYMETER DIGITAL READOUT CLOCK ACCURACY 0.1%

**TYMETER ELECTRONICS-PENNWOOD NUMECHRON CO.**

7249 FRANKSTOWN AVE.

PITTSBURGH 8, PA.



## #121

**TYMETER ELAPSED TIME COUNTER PROVIDES AN ACCURATE MEANS FOR MEASURING OPERATING TIME ACCUMULATION ON MACHINE TOOLS, COMMUNICATION EQUIPMENT AND A WIDE RANGE OF OTHER COMMERCIAL AND INDUSTRIAL EQUIPMENT.**

**AVAILABLE IN 4 MODELS  
REGISTERING AS FOLLOWS:**

1. HOURS, TO A TOTAL OF 99,999 HOURS.
2. HOURS, AND TENTHS OF HOURS, TO A TOTAL OF 9,999.9 HOURS.
3. MINUTES, TO A TOTAL OF 99,999 MINUTES.
4. MINUTES AND TENTHS OF MINUTES, TO A TOTAL OF 9,999.9 MINUTES.

- ## For Operation At:

120 VAC, 50 OR 60 CPS.  
240 VAC, 50 OR 60 CPS  
115 VAC, 400 CPS.


**7249 FRANKSTOWN AVE.  
PITTSBURGH 8, PA.**

### FRONT PANEL MOUNT . . . DESK OR BENCH USE



COMPLETELY ENCLOSED ANODIZED ALUMINUM DUST-PROOF CASE. INDEPENDENT TIME CONTROL SWITCH. JEWEL LIGHT PANEL INDICATOR. HEIGHT 3½, WIDTH 5½, DEPTH 3¼. WT. 3½ LBS.

Height 2 $\frac{3}{8}$ ", Width 3",  
Depth 2 $\frac{3}{4}$ ". Wt.  
1 $\frac{1}{2}$  lbs.



PAT. NO. 2587277  
OTHER PATS. PENDING



**TYMETER**

®

#135



**DESCRIPTION:**

The TYMETER CALCHRON CALENDAR CLOCK is a precision instrument powered by a rugged completely enclosed synchronous motor with a rotor speed of 450 RPM. Minimum gear reduction assures quick trouble free operation and long life.

TYMETERS are guaranteed 1 year

AVAILABLE IN:  
120 VAC. 50 or 60 CPS  
240 VAC. 50 or 60 CPS  
115 VAC. 400 CPS

PAT. NOS. 2,587,277  
and 3,078,655  
OTHER PATS. PENDING

**CALCHRON  
CALENDAR CLOCK****DIGITAL READ OUT**

*FRONT PANEL MOUNT...DESK OR BENCH USE  
DIGITS RESETTABLE INDIVIDUALLY*

**FEATURES:**

- Automatically changes each day.
- Large 5/8" "easy-to-read" digits.
- Gives Month, Date and Hour "at a Glance".
- Rotating 1/24 RPM calibrated hour wheel.
- Full vision in line read out digital display.
- Independent front panel reset controls.
- Completely enclosed anodized metal dust-proof case.
- Height 3 1/2", Width 5 1/2", Depth 3 1/4". Weight 3 1/2 lbs.
- Front Panel Mount . . . desk or bench use.
- Available in 50 or 60 cycle . . . in all voltages 115 AC.
- Precision instrument accuracy.
- UL and CSA approved motor and cord.

**TYMETER ELECTRONICS  
PENNWOOD NUMECHRON CO.  
7249 FRANKSTOWN AVENUE  
PITTSBURGH 8, PENNA.  
PHONE 412-371-4200**



**10-60S**

**15-60S**

**20-60S**

# DESCRIPTION:

TYMETER 60 SECOND, SECOND BY SECOND GRADINETIC ELAPSED TIME DIGITAL COMPUTER IS A PRECISION ACCURATE AUTOMATIC TIME COMPUTER IN SECONDS, TO A TOTAL OF 60 SECONDS AND REPEATS. AUTOMATICALLY REGISTERING SPLIT SECOND BY SECOND TIMING.

TYMETERS ARE POWERED BY A RUGGED COMPLETELY ENCLOSED SYNCHRONOUS MOTOR WITH A ROTOR SPEED OF 450 RPM. MINIMUM GEAR REDUCTION ASSURES QUIET TROUBLE FREE OPERATION AND LONG LIFE.

TYMETERS ARE GUARANTEED 1 YEAR.

## FOR OPERATION AT:



120 VAC, 50 OR 60 CPS

240 VAC, 50 OR 60 CPS


115 VAC, 400 CPS

PAT. NO. 2587277


OTHER PATS. PENDING



# SECOND BY SECOND 60 SECOND READOUT ELAPSED TIME DIGITAL COMPUTERS



**10-60S**



**SECOND BY SECOND  
GRADIENT READOUT**

## FEATURES:

- SPLIT SECOND TIMING • STOP AND HOLD CONTROL
- SECOND BY SECOND 00-59 KINETIC GRADIENT READOUT AUTOMATICALLY COMPUTES AND REGISTERS SECONDS TO A TOTAL OF 60 SECONDS AND REPEATS
- SECONDS ARE REGISTERED ON 2 POLYGONAL DRUMS
- LARGE 5/8" EASY TO READ DIGITS. BLACK ON WHITE BACKGROUND
- FULL VISION IN LINE READOUT DIGITAL DISPLAY
- SYNCHRO-SYNCHRONIZATION SECONDS CONTROL SWITCH
- ILLUMINATION CONTROLLED BY INDEPENDENT CONTROL SWITCH
- JEWEL LIGHT PANEL INDICATOR
- MOVEMENT SHOCK RESISTANT TO WITHSTAND SHOCK OF 2000 POUNDS PER INCH
- COMPLETELY ENCLOSED IN ANODIZED METAL DUSTPROOF CASE. HEIGHT 4-1/2", WIDTH 6", DEPTH 3-1/4". WEIGHT 3-1/2 LBS.
- FRONT PANEL MOUNT, DESK OR BENCH USE.

**TYMETER ELECTRONICS  
PENNWOOD NUMECHRON CO.**

7249 FRANKSTOWN AVE.

PITTSBURGH 8, PA.



# SECOND BY SECOND 60 SECOND READOUT


## 15-60S

## ELAPSED TIME DIGITAL COMPUTERS


### FEATURES:

STOP AND HOLD CONTROL  
SPLIT SECOND TIMING • SECOND BY SECOND 00-59  
KINETIC GRADIENT READOUT AUTOMATICALLY COMPUTES  
AND REGISTERS SECONDS TO A TOTAL OF 60 SECONDS  
AND REPEATS • SECONDS ARE REGISTERED ON 2 POLY-  
GONAL DRUMS • LARGE  $\frac{5}{8}$ " EASY TO READ DIGITS,  
BLACK ON WHITE BACKGROUND • FULL VISION IN LINE  
READOUT DIGITAL DISPLAY • SYNCHRO-SYNCHRONIZA-  
TION SECONDS CONTROL SWITCH • COMPLETELY EN-  
CLOSED IN ANODIZED METAL DUSTPROOF CASE •  
HEIGHT  $4\frac{1}{2}$ " WIDTH 6", WEIGHT  $3\frac{1}{4}$  LBS. • FRONT PANEL  
MOUNT, DESK OR BENCH USE.

PAT. NO. 2587277  
OTHER PATS. PENDING






SECOND BY SECOND  
GRADIENT READOUT




## 20-60S UNCASED

CONSISTS OF: SECOND BY SECOND 60 SECONDS  
READOUT MOVEMENT, MOUNTING BRACKET, WIN-  
DOW ESCUTCHEON ASSEMBLY, AND SECONDS CON-  
TROL SWITCH.



AS THE  
20-60S  
APPEARS  
MOUNTED  
ON YOUR  
PANEL





# ELAPSED TIME DIGITAL COMPUTER

60 MINUTE READ OUT

*DIGITS RESETTABLE INDIVIDUALLY*

**162-60M**



## DESCRIPTION:

TYMETER 60 MINUTE ELAPSED TIME DIGITAL READ OUT COMPUTER is a precision accurate AUTOMATIC TIME COMPUTER in seconds, minutes and 10 minutes to a total of 60 minutes and repeats. Automatically registering every minute. The digits are black on white background.

TYMETERS are powered by a rugged completely enclosed synchronous motor with a rotor speed of 4 RPM. Minimum gear reduction assures quiet trouble free operation and long life.

TYMETERS are guaranteed 1 year.

PAT. NO. 2587277  
OTHER PATS. PENDING



## FEATURES:

- Stop and hold control
- Automatically computes and registers minutes to a total of 60 minutes and repeats.
- Time is registered on 2 drums: minute and 10 minute—00 to 59.
- Large 5/8" easy to read digits.
- Rotating visual 1 RPM calibrated seconds wheel.
- Full vision in line read out digital display.
- Synchro-synchronization seconds wheel control switch.
- Illumination provided by miniature lamp with independent control switch—jewel panel light indicator.
- Digits resettable individually.
- Independent front panel time reset controls.
- Movement shock resistant to withstand shock of 2000 pounds.
- Completely enclosed anodized metal dust-proof case. 4 1/2" height—6" width—3 1/4" depth—weight 3 1/2 lbs.
- Front panel mount . . . desk or bench use.
- Available in 50 or 60 cycle—in all voltages. A.C.
- Precision instrument accuracy.
- UL approved motor and cord.

**TYMETER ELECTRONICS  
PENNWOOD NUMECHRON CO.**

7249 FRANKSTOWN AVE.

PITTSBURGH 8, PA.





# ELAPSED TIME DIGITAL COMPUTER

12 AND 24 HOUR READ OUT  
DIGITS RESETTABLE INDIVIDUALLY

**163-12H**

**164-24H**



## DESCRIPTION:

TYMETER 12 or 24 HOUR ELAPSED TIME DIGITAL READ OUT COMPUTER is a precision accurate time computer in seconds, minutes, 10 minutes and hours to a total of 12 hours or 24 hours. Automatically registering every minute, 10 minute and hour to a total of 12 hours or 24 hours.

TYMETERS are powered by a rugged completely enclosed synchronous motor with a rotor speed of 450 RPM. A minimum gear reduction assures quiet trouble-free operation and long life.

TYMETERS are guaranteed 1 year.

PAT. NO. 2587277  
OTHER PATS. PENDING



## FEATURES:

- Stop and hold control
- Automatically computes and registers minutes, 10 minutes, and hours to a total of 12 or 24 hours.
- Time is registered on 3 drums: minute, 10 minute and hour — 0:00 to 11:59 on 12 hour clock and 00:00 to 23:59 on 24 hour clock.
- 5/8" easy to read digits on 12 hour clock.
- 5/16" easy to read digits on 24 hour clock.
- Rotating 1 RPM calibrated or C.A.A. quadrants seconds wheel.
- Digits resettable individually.
- Full vision in line read out digital display.
- Independent front panel time reset controls.
- Illumination provided by miniature lamp with independent control switch—jewel panel light indicator.
- Movement shock resistant to withstand shock of 2000 pounds per inch.
- Completely enclosed anodized metal dust-proof case. 4½" height—6" width—3¼" depth—weight, 3½ lbs.
- Front panel mount . . . desk or bench use.
- Available in 50 or 60 cycle—in all voltages A.C.
- Precision instrument accuracy.
- UL approved motor and cord.

**TYMETER ELECTRONICS  
PENNWOOD NUMECHRON CO.**

7249 FRANKSTOWN AVE.

PITTSBURGH 8, PA.



140-12H, 12 HOUR  
141-24H, 24 HOUR



## DESCRIPTION:

The TYMETER DIRECT READING DIGITAL READ OUT CLOCK is a precision instrument designed to provide dependable split-second accuracy. Time is indicated by large easily read digits on the face of the drums registering in minutes, 10 minutes and hours. The digits are black on white background.

TYMETERS are powered by a rugged completely enclosed synchronous motor with a rotor speed of 450 RPM. Minimum gear reduction assures quiet trouble free operation and long life.

TYMETERS are guaranteed 1 year. life

TYMETERS are guaranteed 1 year.



# DIGITAL CLOCK

12 AND 24 HOUR READ OUT

FRONT PANEL MOUNT...DESK OR BENCH USE  
DIGITS RESETTABLE INDIVIDUALLY



## FEATURES:

- Large  $\frac{5}{8}$ " easy to read digits, 12 hour clock.
- $\frac{5}{16}$ " easy to read digits, 24 hour clock.
- Time is registered on 3 drums . . . minutes, 10 minutes and hours.
- Rotating visual 1 RPM calibrated seconds wheel.
- Full vision in line read out digital display.
- Independent front panel time reset controls.
- Completely enclosed anodized metal dust-proof case. Height  $3\frac{1}{2}$ ", Width  $5\frac{1}{2}$ ", Depth  $3\frac{1}{4}$ "—weight  $3\frac{1}{2}$  lbs.
- Front panel mount . . . desk or bench use.
- Available in 50 or 60 cycle . . . in all voltages . . . AC.
- Precision instrument accuracy.
- UL approved motor and cord.

PATENT NO. 2587277  
OTHER PATENTS

TYMETER ELECTRONICS  
PENNWOOD NUMECHRON CO.  
7249 FRANKSTOWN AVENUE  
PITTSBURGH 8, PENNA.



**130-12H, 12 HOUR  
131-24H, 24 HOUR**

Consists of:

- TYMETER Digital Clock Movement
- Mounting Bracket
- Window Escutcheon Assembly
- 2 Time Reset Assemblies

## FEATURES:

- Large  $\frac{5}{8}$ " easy to read digits, 12 hour clock.
- $\frac{5}{16}$ " easy to read digits, 24 hour clock.
- Time is registered on 3 drums—minute, 10 minute and hours.
- Rotating visual 1 RPM calibrated seconds wheel.
- Full vision in line read out digital display.
- Independent front panel time reset controls.
- Flush back panel mount.
- Front panel full vision window escutcheon completely encloses unit in front.
- Height 3", Width  $5\frac{1}{2}$ ", Depth  $3\frac{1}{4}$ ". Weight 2 lbs.
- Available in 50 or 60 Cycle—all voltages . . . AC.
- Precision instrument accuracy.
- UL approved motor and cord.
- TYMETERS are guaranteed One Year.



**AS THE #130 MOVEMENT  
APPEARS MOUNTED  
ON YOUR PANEL**


Patent No. 2587277  
Other Patents

# DIGITAL CLOCK

12 AND 24 HOUR READ OUT

## MOVEMENT

*DIGITS RESETTABLE INDIVIDUALLY*



**TYMETER  
Movement**




**Reset  
Assemblies**



**Window  
Escutcheon**

## FRONT PANEL LAYOUT



**TYMETER ELECTRONICS  
PENNWOOD NUMECHRON CO.  
7249 FRANKSTOWN AVENUE  
PITTSBURGH 8, PENNA.**

## PRICE SCHEDULE

TYMETER DIGITAL  
CLOCKS, TIMERS AND COMPUTERSUL & CSA APPROVED  
MOTOR & CORD

110-20V, 60 cps

QUANTITY		QUANTITY	
MODEL	1-9	MODEL	1-9
#10-60S	57.50	#135-CALCHRON	37.50
#15-60S	37.50	#140-12H	37.50
#20-60S	20.00	#141-24H	37.50
#75	17.50	#150-12H	67.50
#80	17.50	#151-24H	67.50
#85	16.50	#160-12H	57.50
#90	22.50	#161-24H	57.50
#110-12H	100.00	#162-60M	57.50
#110-24H	100.00	#163-12H	57.50
#115-30M	100.00	#164-12H	87.50
#115-60M	100.00	#164-24H	57.50
#115-12H	100.00	#165-24H	87.50
#115-24H	100.00	#300-CALCHRON	15.00
#120	37.50	#500-CALCHRON	17.50
#121	20.00	#900-E CALCHRON	19.95
#125-12H	100.00	#920-CALCHRON	22.50
#125-24H	100.00	#920-12H	22.50
		#920-24H	24.50

Quantity quotations on request.

Net 10 days, f.o.b. Pgh., Pa.

Prices subject to  
change without notice

Plus applicable taxes

TYMETER ELECTRONICS  
PENNWOOD NUMECHRON CO.  
7249 FRANKSTOWN AVENUE  
PITTSBURGH 8, PA.